10/693.735

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|---|---|---------------------|---------|------------------|
| L4 | 0 | "66066618".PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/11 11:34 |
| L5 | 2 | "6606618".PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/11 11:34 |
| L6 | 12 | gerber-robert-h.IN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/11 13:39 |
| L7 | 4 | L6 and "preference" and ("store" near2 "data") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/11 13:42 |
| L8 | . 4 | L6 and "preference" and ("store" near2 "data") and compiler | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/11 13:44 |
| L9 | 30 | knight-holly.IN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/11 13:42 |
| L10 | . 4 | L9 and "preference" and ("store" near2 "data") and compiler | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/11 13:43 |
| L11 · | 8 | krishna-murali-m.IN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/11 13:43 |

| | | | • | | | |
|-----|----|--|---|------|-----|------------------|
| L12 | 1 | L11 and "preference" and ("store" near2 "data") and compiler | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/11 15:00 |
| L13 | 1 | nilakantan-niranjan.IN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | OFF | 2007/01/11 13:44 |
| L14 | 9 | abileah-shahaf.IN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/11 13:44 |
| L15 | | L14 and "preference" and ("store" near2 "data") and compiler | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/11 13:44 |
| L16 | 21 | pather-shyamalan.IN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/11 13:44 |
| L17 | 3 | L16 and "preference" and ("store" near2 "data") and compiler | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/11 13:44 |
| S1 | 2 | "20050091269" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/28 15:55 |
| S2 | 2 | (("preference" or "customer\$5" or ("user" near2 "defined")) same stor\$3) same (schema\$6 near3 "data") and ("execution" same occurr\$5) and (@ad < "10031024" or @prad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/28 16:03 |

| | | EAST Scare | , | | | |
|-----|----|---|---|------|-----|------------------|
| S3 | 2 | (("preference" or "customer\$5" or ("user" near2 "defined")) same stor\$3) same (schema\$6 near3 "data") and ("execution" same occurr\$5) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/28 16:00 |
| S4 | 0 | (("preference" or "customer\$5" or ("user" near2 "defined")) same stor\$3) same (schema\$6 near3 "data") and (compil\$3 near4 "defined") and "execution" and "occurrence" and (@ad < "10031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | OFF | 2006/12/28 16:04 |
| S5 | | (("preference" or "customer\$5" or ("user" near2 "defined")) same stor\$3) same (schema\$6 near3 "data") and (compil\$3 near4 "defined") and "execution" and (@ad < "10031024" or @prad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/04 17:00 |
| S6 | 26 | (("preference" or "customer\$5" or ("user" near2 "defined")) same stor\$3) same ("data" near3 stor\$3) and (compil\$3 near4 "defined") and "execution" and (@ad < "10031024" or @prad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 12:07 |
| S7 | 12 | gerber-robert-h.IN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/03 10:47 |
| S8 | 9 | (US-20050091269-\$ or US-20030105732-\$ or US-20020128806-\$ or US-20050091184-\$).did. or (US-6275986-\$ or US-5287514-\$ or US-5760768-\$ or US-7137099-\$ or US-5978793-\$).did. | US-PGPUB; USPAT | OR | OFF | 2007/01/03 11:00 |
| S9 | 3 | S8 and ("data" near3 "store") and ("preference") | US-PGPUB; USPAT | OR | OFF | 2007/01/03 11:06 |
| S10 | 2 | S8 and ("data" near3 "store").CLM. and ("preference").CLM. | US-PGPUB; USPAT | OR | OFF | 2007/01/03 11:08 |
| S11 | 1 | S8 and ("data" near3 "store").CLM. and ("preference").CLM. and ("execution" near3 "engine").CLM. | US-PGPUB; USPAT | OR | OFF | 2007/01/03 11:08 |

| | | | | | , | |
|-----|----|---|---|----|-----|------------------|
| S12 | 1 | ("data" near3 "store").CLM. and ("preference").CLM. and ("execution" near3 "engine").CLM. | US-PGPUB; USPAT | OR | OFF | 2007/01/03 11:09 |
| S13 | 84 | (("preference" or "customer\$5" or ("user" near2 "defined")) same stor\$3) and ("data" near3 stor\$3) and ((compil\$3 same prefer\$4) and execut\$4) and (@ad < "10031024" or @prad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/03 12:26 |
| S14 | | (("preference" or "customer\$5" or ("user" near2 "defined")) same stor\$3) and ("data" near3 stor\$3) and ((compil\$3 same prefer\$4) and execut\$4) and ("execution engine")and (@ad < "10031024" or @prad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/03 11:25 |
| S15 | 2 | "6775358".PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/03 11:25 |
| S16 | 1 | (("preference" or "customer\$5" or ("user" near2 "defined")) same stor\$3) and ("data" near3 stor\$3) and ((compil\$3 same prefer\$4) and execut\$4) and (preference near4 evaluat\$3) and (@ad < "10031024" or @prad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/03 11:58 |
| S17 | 57 | (("preference" or "customer\$5" or ("user" near2 "defined")) same stor\$3) and ("data" near3 stor\$3) and ((compil\$3 same prefer\$4) and execut\$4) and "action" and (@ad < "10031024" or @prad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/03 11:58 |
| S18 | 90 | (("preference" or "customer\$5" or ("user" near2 "defined")) same stor\$3) and ("data" near3 stor\$3) and ((compil\$3 same prefer\$4) and execut\$4) and "action" and (@ad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/03 11:59 |

| | | | | | | |
|-----|------|---|---|-------------|-----|------------------|
| S19 | 88 | (("preference" or "customer\$5" or ("user" near2 "defined")) same stor\$3) and ("data" near2 stor\$3) and ((compil\$3 same prefer\$4) and execut\$4) and "action" and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/03 11:59 |
| S20 | 6 | (("preference" or "customer\$5" or ("user" near2 "defined")) same stor\$3) and ("data" near2 stor\$3) and ((compil\$3 same prefer\$4) and execut\$4) and (evaluat\$4 near3 (preference or "customer\$5" or "user defined")) and (@ad < "20031024" or @prad < "20031024" or @prad < "20031024" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/03 12:59 |
| 521 | 2 | "6745180".PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/03 12:26 |
| S22 | 2 | "6826541".PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/03 12:59 |
| S23 | 13 | (US-20020103806-\$ or US-20020087388-\$ or US-20030105732-\$ or US-20050091269-\$ or US-20050091184-\$ or US-20020128806-\$).did. or (US-5978793-\$ or US-6826541-\$ or US-7137099-\$ or US-5287514-\$ or US-6745180-\$ or US-5760768-\$ or US-6275986-\$).did. | US-PGPUB; USPAT | OR | OFF | 2007/01/04 16:56 |
| S24 | 3 | S23 and (compiler or compiling) and (execut\$3 and evaluat\$4) and (preference) and ("data" near3 "store") | US-PGPUB; USPAT | OR | OFF | 2007/01/04 17:26 |
| S25 | 2469 | (compiler or compiling).CLM. and (execut\$3 and evaluat\$4)".CLM" and (preference).CLM. and ("data" near3 "store").CLM. | US-PGPUB; USPAT | OR | OFF | 2007/01/04 17:00 |

| | · | | , | , | | |
|-----|------|---|---|------|-----|------------------|
| S26 | 958 | ((compiler or compiling).CLM. and (execut\$3 and evaluat\$4)".CLM" and (preference).CLM. and ("data" near2 "store").CLM.) and (@ad < "10031024" or @prad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR. | OFF | 2007/01/04 17:01 |
| S27 | 2119 | ((compiler or compiling).CLM. and (execut\$3 and evaluat\$4)".CLM" and (preference).CLM. and ("data" near2 "store").CLM.) and (@ad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/04 17:01 |
| S28 | 943 | ((compiler).CLM. and (execut\$3 and evaluat\$4)".CLM" and (preference). CLM. and ("data" near2 "store"). CLM.) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/04 17:02 |
| S29 | 0 | ((compiler).CLM. and (execut\$3). CLM. and (preference same evaluat\$3).CLM. and ("data" near2 "store").CLM.) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/04 17:02 |
| S30 | 0 | ((compiler).CLM. and (execution). CLM. and (preference same evaluat\$3).CLM. and ("data" near2 "store").CLM.) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/04 17:03 |
| S31 | 0 | ((compiler).CLM. and (execute). CLM. and (preference same evaluat\$3).CLM. and ("data" near2 "store").CLM.) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR · | OFF | 2007/01/04 17:03 |
| S32 | 1 | "5870746".PN. | US-PGPUB; USPAT | OR | OFF | 2007/01/04 17:26 |
| S33 | 14 | (US-20020128806-\$ or US-20030105732-\$ or US-20050091269-\$ or US-20050091184-\$ or US-20020103806-\$ or US-20020087388-\$).did. or (US-6275986-\$ or US-5287514-\$ or US-5760768-\$ or US-5978793-\$ or US-7137099-\$ or US-6826541-\$ or US-6745180-\$ or US-5870746-\$). did. | US-PGPUB; USPAT | OR | OFF | 2007/01/08 12:57 |
| S34 | 0 | S33 and ((validat\$4 near3 (proper\$2 or correct\$2)) near3 install\$4) | US-PGPUB; USPAT | OR | OFF | 2007/01/08 12:59 |

| | | EAST Searc | | | | |
|-------|------|--|---|------|-----|------------------|
| S35 | 0 | S33 and (((validat\$4 or verifi\$6) near3 (proper\$2 or correct\$2)) near3 install\$4) | US-PGPUB; USPAT | OR | OFF | 2007/01/08 13:00 |
| S36 | 0 | S33 and (((validat\$4 or verif\$6) near3 (proper\$2 or correct\$2)) near3 install\$4) | US-PGPUB; USPAT | OR | OFF | 2007/01/08 13:01 |
| S37 | 0 | S33 and (((valid\$4 or verif\$6) near3 (proper\$2 or correct\$2)) near3 install\$4) | US-PGPUB; USPAT | OR | OFF | 2007/01/08 13:36 |
| S38 | 3 | S33 and (action same condition\$4) | US-PGPUB; USPAT | OR | OFF | 2007/01/08 13:39 |
| S39 | . 0 | S33 and (action same (if nea3 then)) | US-PGPUB; USPAT | OR | OFF | 2007/01/08 13:40 |
| S40 | 0 | S33 and (action same ("if" nea3 "then")) | US-PGPUB; USPAT | OR | OFF | 2007/01/08 14:43 |
| S41 · | 3 | S33 and ("SMTP" amd) | US-PGPUB; USPAT | OR . | OFF | 2007/01/08 14:43 |
| S42 | 3 | S33 and ("SMTP" or "Simple Mail") | US-PGPUB; USPAT | OR | OFF | 2007/01/08 14:44 |
| S43 | . 3 | S33 and ("internal" or "external") near3 (triger or event or input) | US-PGPUB; USPAT | OR . | OFF | 2007/01/08 14:45 |
| S44 | . 3 | S33 and ("internal" or "external") near3 (trigger or event or input) | US-PGPUB; USPAT | OR | OFF | 2007/01/08 14:46 |
| S45 | 3 | S33 and ("internal" or "external") near3 (trigger or event or input or API) | US-PGPUB; USPAT | OR | OFF | 2007/01/08 14:46 |
| S46 | 3 | S33 and ("internal" or "external") near4 (trigger or event or input or API) | US-PGPUB; USPAT | OR | OFF | 2007/01/08 14:59 |
| S47 | 103 | (event near3 extract) and ((internal or external) near3 (trigger or input or event or API)) and (@ad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | OFF | 2007/01/08 14:48 |
| S48 | - 36 | (event near2 extract) and ((internal or external) near3 (trigger or input or event or API)) and (preference or (user near2 defin\$5)) and (@ad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/08 14:49 |
| S49 | 35 | (event near2 extract) and ((internal or external) near3 (trigger or input or event)) and (preference or (user near2 defin\$5)) and (@ad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/08 14:49 |

| S50 | 18 | (event near2 extract) and ((internal or external) near3 (trigger or input or event)) and (preference) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | OFF | 2007/01/08 14:49 |
|-----|-----|---|---|------|-----|------------------|
| S51 | 16 | (event near2 extract) and ((internal or external) near3 (trigger or input or event)) and (preference) and (store) and (source) and (@ad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/08 14:50 |
| S52 | 3 | S33 and ("internal" or "external") near4 (trigger or event or incident or query or input) | US-PGPUB; USPAT | OR | OFF | 2007/01/08 15:00 |
| S53 | 8 | S33 and ((trigger or event or incident or query or input) same (extract\$3 or handl\$3)) | US-PGPUB; USPAT | OR | OFF | 2007/01/08 15:23 |
| S54 | 1 | S33 and (event near2 extract) | US-PGPUB; USPAT | OR | OFF | 2007/01/08 15:24 |
| S55 | 57 | (("preference" or "customer\$5" or ("user" near2 "defined")) same stor\$3) and ((event\$2 or incident\$2 or input\$2) same "extract") and "XML" and subscri\$5 and "execution" and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/08 16:15 |
| S56 | 19 | ("preference" same stor\$3) and ((event\$2 or incident\$2 or input\$2) same "extract") and "XML" and subscri\$5 and "execution" and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/08 16:28 |
| S57 | 126 | ("preference" same stor\$3) and ((event\$2 or incident\$2 or input\$2) same "source") and "XML" and subscri\$5 and "execution" and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/08 16:28 |
| S58 | 99 | ("preference" same stor\$3) and ((event\$2 or incident\$2 or input\$2) same "source") and "XML" and subscri\$5 and "execution" and (data near3 store) and (@ad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR · | OFF | 2007/01/08 16:29 |

| S59 | 53 | ("preference" near5 stor\$3) and ((event\$2 or incident\$2 or input\$2) same "source") and "XML" and subscri\$5 and "execution" and (data near3 store) and (@ad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | OFF | 2007/01/08 16:30 |
|-----|-----|--|---|------|-----|------------------|
| S60 | 18 | (("preference" near5 data) same stor\$3)and ((event\$2 or incident\$2 or input\$2) same "source") and "XML" and subscri\$5 and "execution" and (data near3 store) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/08 16:30 |
| S61 | 2 | "5481700".PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/08 16:42 |
| S62 | . 2 | "6490718".PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/08 16:42 |
| S63 | 18 | (US-20020128806-\$ or US-20030105732-\$ or US-20050091269-\$ or US-20050091184-\$ or US-20020103806-\$ or US-20020087388-\$ or US-20030126136-\$).did. or (US-6275986-\$ or US-5287514-\$ or US-5760768-\$ or US-5978793-\$ or US-7137099-\$ or US-6826541-\$ or US-6745180-\$ or US-5870746-\$ or US-6484149-\$ or US-5481700-\$ or US-6490718-\$).did. | US-PGPUB; USPAT | OR | OFF | 2007/01/08 16:43 |
| S64 | 4 | S63 and (((event or incident) near4 source) same stor\$4) | US-PGPUB; USPAT | OR | OFF | 2007/01/08 17:14 |
| S65 | 3 | S63 and (((event or incident) near4 source) same stor\$4) and subscri\$4 | US-PGPUB; USPAT | OR | OFF | 2007/01/08 16:45 |
| S66 | 5 | S63 and ((event or incident) same stor\$4) and subscri\$4 | US-PGPUB; USPAT | OR | OFF | 2007/01/08 16:50 |
| S67 | 6 | S63 and subscri\$4 | US-PGPUB; USPAT | OR . | OFF | 2007/01/08 16:50 |
| S68 | . 4 | S63 and (subscri\$4 and "XML" and "API") | US-PGPUB; USPAT | OR | OFF | 2007/01/08 17:14 |

| | | | | | , | |
|-----|------|--|---|------|-------|------------------|
| S69 | | (US-20050091269-\$ or US-20050091184-\$ or US-20030105732-\$ or US-20020103806-\$ or US-20020128806-\$ or US-20020087388-\$ or US-20030126136-\$).did. or (US-7137099-\$ or US-6826541-\$ or US-6745180-\$ or US-5760768-\$ or US-6275986-\$ or US-5978793-\$ or US-6484149-\$ or US-5481700-\$ or US-6490718-\$).did. | US-PGPUB; USPAT | OR . | OFF | 2007/01/09 10:54 |
| S70 | 3 | S69 and (high near3 end) | US-PGPUB; USPAT | OR | OFF | 2007/01/09 10:56 |
| S71 | 6 | S69 and (execut\$4 near3 quer\$3) | US-PGPUB; USPAT | OR | OFF | 2007/01/09 10:57 |
| S72 | 6 | S69 and ((execut\$4 or run) near3 quer\$3) | US-PGPUB; USPAT | OR . | OFF . | 2007/01/09 10:57 |
| S73 | 10 | S69 and ((execut\$4 or run or search\$3) near3 quer\$3) | US-PGPUB; USPAT | OR | OFF | 2007/01/09 11:14 |
| S74 | 8 | S73 and (user near3 (defin\$3 or specif\$5)) | US-PGPUB; USPAT | OR | OFF | 2007/01/09 11:14 |
| S75 | . 17 | (("preference" or "customer\$5" or ("user" near2 "defined")) same stor\$3) and ((install\$4 near3 (application or program)) same table\$2) and (updat\$3 near4 table) and (@ad < "10031024" or @prad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 12:09 |
| S76 | 30 | (("preference" or "customer\$5" or ("user" near2 "defined")) same stor\$3) and ((install\$4 near3 (application or program)) same table\$2) and (updat\$3 near4 table) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 12:09 |
| S77 | 23 | ("preference" same stor\$3) and ((install\$4 near3 (application or program)) same table\$2) and (updat\$3 near4 table) and (@ad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 12:11 |

| S78 | 0 | ((("event" near2 "driven") near3 install\$4) and table\$2) and (updat\$3 near4 table) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 12:13 |
|-----|---|--|---|----|-----------|------------------|
| S79 | 2 | ((("event" near2 "driven") near3 install\$4) and table\$2) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF ·. | 2007/01/09 12:13 |